



WOOD VARNISH BLACK ALU WHITE



The NodOn® indoor opening sensor is a wireless and battery-less sensor, EnOcean® compliant. Combined with its magnet, the sensor detects the « Open » or « Closed » status of the panel (Door or window)

The opening sensor can work with any kind of EnOcean® compliant device, such as the NodOn® Smart Plug, or an Home Automation Gateway.

Depending on the settings, the sensor will trig some actions when the panel is Open or Closed, or during opening / closing movement

An optional CR1216 battery (not included) can be mounted, increasing the sensor lifetime up to 5 years in total darkness

Technical Data

Power source - Solar panel

Detection distance >5mm

Wall mounting using adhesive bounding (included) or screws (not included)

Optional CR1216 battery (not included) for dark area use (5years in total darkness)

Operational temperature - 0°C to 40°C - Altitude - 2.000m

Radio protocol - EnOcean® - 868.3MHz - EEP - D5-00-01

Range: 30m indoor

Dimension : 80*26*18mm

Warranty 3 years

Standard

EN 301489-3: V1.4.1; EN 61000-6-1: 2007

EN 300220-1: V2.4.1, EN 300220-2: V2.4.1

EN60950-1: 2006+All:2009

EN62479: 2010

References

Product code - SDO-2-1-01 - EAN - 3700313920091 - Wood

Product code - SDO-2-1-02 - EAN - 3700313920107 - Varnish

Product code - SDO-2-1-03 - EAN - 3700313920114 - Black

Product code - SDO-2-1-04 - EAN - 3700313920121 - Alu

Product code - SDO-2-1-05 - EAN - 3700313920138 - White